

APRIL 25, 2019

ADDENDUM NO. 1

Uptown Shelby Streetscape SHELBY, NORTH CAROLINA

BIDS WILL BE OPENED: **11:00 AM, WEDNESDAY, MAY 29, 2019**
(REVISED PER THIS ADDENDUM NO. 1)

LOCATION: GEORGE W. CLAY, JR. UTILITY OPERATIONS CENTER
824 W. GROVER STREET, SHELBY, NC 28150

This Addendum forms a part of the Contract Documents and modifies the original Bid Documents accordingly. Please acknowledge receipt of this Addendum on the Bid Form. Failure to do so may subject the Bidder to disqualification.

CHANGES TO CONTRACT PROPOSAL

1. Cover Sheet – Delete the Cover Sheet in its entirety and insert the Cover Sheet included in this Addendum No. 1, consisting of one page.

CHANGES TO ADVERTISEMENT FOR BID

2. Page AB-1 – Delete the Advertisement for Bids in its entirety and insert the Advertisement for Bids included in this addendum No. 1, consisting of one page.

CHANGES TO BID

3. BD-1 through BD-8, BID FORM – Delete the BID FORM in its entirety and replace it with the BID FORM included in this Addendum No. 1, consisting of 8 pages.

CHANGES TO AGREEMENT

4. Page AG-1, Article 3.02.A – For the Date of Availability of Work, delete the words “June 17, 2019” and insert the words “July 22, 2019”.
5. Page AG-1, Article 3.02.C – For the Days to Achieve FINAL COMPLETION and Final Payment, delete the words “June 11, 2020”, and insert the words “July 16, 2020”.

CHANGES TO NCDOT STANDARD PROVISIONS

6. Page SP01 G010A-1 –
 - a. For the date of availability, delete the words “Monday, June 17, 2019” and insert the words “Monday, July 22, 2019”.
 - b. For the completion date, delete the words “June 11, 2020”, and insert the words “July 16, 2020”.

CHANGES TO DRAWINGS

7. SHEET 1A, ROADWAY STANDARD DETAILS – After Std. No. 300.01, insert STD. NO. and TITLE as follows: “654.01 Pavement Repairs”

8. SHEET 2A, COURT SQUARE CROSSWALK DETAIL – Delete this detail in its entirety and insert “COURT SQUARE CROSSWALK DETAIL” included in this Addendum No. 1.
9. SHEET 4 – Delete the words “UPGRADE CURB RAMP” and insert the words “RETROFIT EXISTING CURB RAMPS USING BLACK RUBBER DOMES, WET-SET TYPE” in the two call outs. (Total curb ramp retrofits this sheet = 4.)
10. SHEET 7 – Delete the words “UPGRADE CURB RAMP” in two call outs and the words “ADD BLACK RUBBER DOMES” in one call out and insert the words “RETROFIT EXISTING CURB RAMPS USING BLACK RUBBER DOMES, WET-SET TYPE”. (Total curb ramp retrofits this sheet = 5.)
11. SHEET 11 – Delete the words “UPGRADE CURB RAMP” and insert the words “RETROFIT EXISTING CURB RAMPS USING BLACK RUBBER DOMES, WET-SET TYPE” in one call out. (Total curb ramp retrofits this sheet = 2.)

END OF ADDENDUM

UPTOWN SHELBY STREETScape

CITY OF SHELBY CLEVELAND COUNTY, NC 2019

CONTRACT PROPOSAL

TIP NUMBER:	N/A
COUNTY:	CLEVELAND
DESCRIPTION:	GRADING, PAVING, DRAINAGE, SIGNING, SIGNALS, DECORATIVE CONCRETE, BRICK PAVERS, AND LANDSCAPING
DATE OF ADVERTISING:	MONDAY, APRIL 15, 2019
MANDATORY PRE-BID MEETING:	11:00 AM, WEDNESDAY, MAY 8, 2019
BID OPENING:	11:00 AM, WEDNESDAY, MAY 29, 2019

*****NOTICE*****

ALL BIDDERS SHALL COMPLY WITH ALL APPLICABLE LAWS REGULATING THE PRACTICE OF GENERAL CONTRACTING AS CONTAINED IN CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA WHICH REQUIRES THE BIDDER TO BE LICENSED BY THE N.C. LICENSING BOARD FOR CONTRACTORS WHEN BIDDING ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$30,000 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD. BIDDERS SHALL ALSO COMPLY WITH ALL OTHER APPLICABLE LAWS REGULATING THE PRACTICES OF ELECTRICAL, PLUMBING, HEATING AND AIR CONDITIONING AND REFRIGERATION CONTRACTING AS CONTAINED IN CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA. NOTWITHSTANDING THESE LIMITATIONS ON BIDDING, THE BIDDER WHO IS AWARDED ANY FEDERAL - AID FUNDED PROJECT SHALL COMPLY WITH CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA FOR LICENSING REQUIREMENTS WITHIN 60 CALENDAR DAYS OF BID OPENING.

NAME OF BIDDER

ADDRESS OF BIDDER

RETURN BIDS TO: CITY OF SHELBY
Attention: Mr. Ben Yarboro
Person's Title: Engineering Services Director
Physical Address: George W. Clay, Jr. Utility Operations Center, 824 W. Grover Street, Shelby, NC 28150

ALL BIDS MUST BE RECEIVED PRIOR TO THE DATE AND TIME LISTED ABOVE.



STANTEC CONSULTING SERVICES INC

801 JONES FRANKLIN ROAD, SUITE 300
RALEIGH, NORTH CAROLINA 27606
(919) 865-7390

ADVERTISEMENT FOR BIDS

1. SEALED BIDS for the furnishing of the necessary materials and construction of

UPTOWN SHELBY STREETSCAPE
FOR THE CITY OF SHELBY, NORTH CAROLINA

will be received by the City of Shelby at George W. Clay, Jr. Utility Operations Center, 824 W. Grover Street, Shelby, NC 28150 until

11:00 AM, LOCAL TIME
On WEDNESDAY, MAY 29, 2019

and at that time and place will be publicly opened and read aloud.

2. The proposed work consists of construction of grading, 1,000 LF of drainage pipe, 15 catch basins, 7 storm structures, 1,300 LF of concrete curb and gutter, brick paver pedestrian bulb-outs, 31,000 SY of milling and paving, traffic signals and metal poles, stamped concrete pavement (crosswalks), pavement marking, sidewalk repairs, landscaping, and traffic control.

3. The Bidding Documents, including Drawings and Contract Proposal with Specifications, are on file at the office of the City Engineer and at the Issuing Office of Stantec Consulting Services Inc., 1 W. 4th Street, Suite 820, Winston-Salem, NC 27101. Electronic (.pdf) copies may be obtained from Linda Pass at linda.pass@stantec.com or by calling 336-276-1617.

4. Each Bidder must be a Bidding Documents Holder as defined in Article 1 of the Instructions to Bidders.

5. The City of Shelby, North Carolina reserves the right to reject any or all Bids, and to waive all informalities not involving price, time, or changes in the Work.

6. A pre-bid conference will be held at **11:00 AM on WEDNESDAY, MAY 8, 2019** at the George W. Clay, Jr. Utility Operations Center, 824 W. Grover Street, Shelby, NC 28150. Representatives of OWNER and ENGINEER will be present to discuss the Project. Bidders are required to attend and participate in the conference.

By Order of the City of Shelby, North Carolina

BID

PROJECT IDENTIFICATION: UPTOWN SHELBY STREETScape

THIS BID IS SUBMITTED TO: Mr. Ben Yarboro, Engineering Services Director
George W. Clay, Jr. Utility Operations Center
824 W. Grover Street, Shelby, NC 28150

1.01 The undersigned Bidder proposes and agrees, if this Bid is accepted, to enter into an agreement with OWNER in the form included in the Bidding Documents to perform all Work as specified or indicated in the Bidding Documents for the prices and within the times indicated in this bid and in accordance with the other terms and conditions of the Bidding Documents.

2.01 Bidder accepts all of the terms and conditions of the Advertisement for Bids and Instructions to Bidders, including without limitation those dealing with the disposition of Bid security, and the requirement for being a Bidding Documents Holder. This Bid will remain subject to acceptance for 90 days after the Bid opening, or for such longer period of time that Bidder may agree to in writing upon request of OWNER.

3.01 In submitting the Bid, Bidder represents, as set forth in the Agreement that:

A. Bidder has examined and carefully studied the Bidding Documents, and the other related data identified in the Bidding Documents, and the following Addenda, receipt of all which is hereby acknowledged.

<u>Addendum No.</u>	<u>Addendum Date</u>
_____	_____
_____	_____
_____	_____

B. Bidder has visited the Site and become familiar with and is satisfied as to the general, local, and Site conditions that may affect cost, progress, and performance of the Work.

C. Bidder is familiar with and is satisfied as to all federal, state, and local Laws and Regulations that may affect cost, progress, or performance of the Work.

D. Bidder has obtained and carefully studied (or assumes responsibility for having done so) all examinations, investigations, explorations, tests, studies, and data concerning conditions (surface, subsurface, and Underground Facilities) at or contiguous to the Site which may affect cost, progress, or performance of the Work or which relate to any aspect of the means, methods, techniques, sequences, and procedures of construction to be employed by Bidder, including applying the specific means, methods, techniques, sequences, and procedures of construction expressly required by the Bidding Documents to be employed by Bidder, and safety precautions and programs incident thereto.

E. Bidder does not consider that any further examinations, investigations, explorations, tests, studies, or data are necessary for the determination of this Bid for performance of the Work at the price(s) bid and within the times and in accordance with the other terms and conditions of the Bidding Documents.

F. Bidder is aware of the general nature of the Work to be performed by OWNER and others at the Site that relates to the Work as indicated in the Bidding Documents.

G. Bidder has correlated the information known to Bidder, information and observations obtained from visits to the Site, reports and drawings identified in the Bidding Documents, and all additional examinations, investigations, explorations, tests, studies, and data with the Bidding Documents.

H. Bidder has given ENGINEER written notice of all conflicts, errors, ambiguities, or discrepancies that Bidder has discovered in the Bidding Documents, and the written resolution thereof by ENGINEER is acceptable to Bidder.

I. The Bidding Documents are generally sufficient to indicate and convey understanding of all terms and conditions for the performance of the Work for which this Bid is submitted.

4.01 Bidder further represents that this Bid is genuine and not made in the interest or on the behalf of any undisclosed individual or entity and is not submitted in conformity with any agreement or rules of any group, association, organization or corporation; Bidder has not directly or indirectly induced or solicited any other Bidder to submit a false or sham Bid; Bidder has not solicited or induced any individual or entity to refrain from bidding; and Bidder has not sought by collusion to obtain for itself any advantage over any other Bidder or over OWNER.

5.01 Bidder will complete the Work in accordance with the Contract Documents for the following price(s):

BID FORM

ITEM	NCDOT PAY ITEM	NCDOT STD / TECH SPECS	DESCRIPTION	EST QTY	UNIT	UNIT PRICE	AMOUNT
1	0000100000-N	800	MOBILIZATION	1	LS		
2	0000400000-N	801	CONSTRUCTION SURVEY	1	LS		
3	0156000000-E	250	REMOVE EXISTING ASPHALT PAVEMENT	2,090	SY		
4	---	T-1	WATTLES	600	LF		
5	---	SP	CONCRETE WASHOUT STRUCTURE	4	EA		
6	0195000000-E	265	SELECT GRANULAR MATERIAL/ BACKFILL	380	TN		
7	8021000000-N	1530	ABANDON UTILITY MANHOLES (STORM STRUCTURES)	10	EA		
8	2275000000-E	SP03 R30	FLOWABLE FILL FOR ABANDONMENT OF DRAINAGE PIPE	30	CY		
9	---	TS-02229	ROCK EXCAVATION - ALLOWANCE	100	CY	\$150.00	\$15,000.00
10	---	PSP UC-1	12-INCH CL350 DUCTILE IRON PIPE FOR DRAINAGE	60	LF		
11	0360000000-E	310	12-INCH REINFORCED CONCRETE PIPE STORM SEWER, CLASS III	900	LF		
12	0366000000-E	310	15-INCH REINFORCED CONCRETE PIPE STORM SEWER, CLASS III	17	LF		
13	2286000000-N	840	CATCH BASIN, NCDOT STD. 840.01 / 840.02	15	EA		

ITEM	NCDOT PAY ITEM	NCDOT STD / TECH SPECS	DESCRIPTION	EST QTY	UNIT	UNIT PRICE	AMOUNT
14	5775000000-E	840	4' DIAMETER DRAINAGE STRUCTURE, NCDOT STD. 840.51 / 840.52	2	EA		
15	5777000000-E	840	STORM JUNCTION BOX, NCDOT STD. 840.31 / 840.32	5	EA		
16	2374000000-N	840	FRAME, GRATE AND HOOD, NCDOT STD. 840.03	15	EA		
17	2396000000-N	840	FRAME AND COVER, NCDOT STD. 840.54	7	EA		
18	1297000000-E	607	MILLING ASPHALT PAVEMENT, 1.5-INCH DEPTH	31,000	SY		
19	1489000000-E	610	ASPHALT CONCRETE BASE COURSE, TYPE B25.0C	880	TN		
20	1498000000-E	610	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE I19.0C	90	TN		
21	1520000000-E	610	ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5C	2,600	TN		
22	1575000000-E	620	ASPHALT BINDER FOR PLANT MIX	205	TN		
23	0000960000-E	SPD8 250	STAMPED ASPHALT CROSSWALK	400	SF		
24	---	SP06 R88R	INCIDENTAL ASPHALT / FULL DEPTH PATCHING	100	TN		
25	---	846	COMBINATION CONCRETE CURB AND GUTTER, 2'-0" (CITY OF SHELBY STD 4.01)	350	LF		
26	2549000000-E	846	CONCRETE CURB AND GUTTER, 2'-6"	1,295	LF		
27	2600000000-N	848	RETROFIT EXISTING CURB RAMP (BLACK RUBBER TRUNCATED DOMES, WET-SET TYPE)	11	EA		
28	2612000000-E	848	CONCRETE DRIVEWAYS, 6-INCHES THICK	120	SY		
29	2591000000-E	848	4-INCH CONCRETE SIDEWALKS	2,500	SY		
30	2830000000-N	858	ADJUSTMENT OF MANHOLES	6	EA		
31	2845000000-N	SP08 R97R	ADJUSTMENT OF METER OR VALVE BOXES	6	EA		
32	---	PSP RC-1	STAMPED CONCRETE PAVEMENT WITH CONCRETE SETTING BAND, 8-INCHES THICK	940	SY		
33	---	1028	JOINT FILLER (FOR CROSSWALKS)	3,300	LF		
34	4363000000-E	SN-1	PROTECTIVE COATING FOR SQUARE POLES	95	LF		

ITEM	NCDOT PAY ITEM	NCDOT STD / TECH SPECS	DESCRIPTION	EST QTY	UNIT	UNIT PRICE	AMOUNT
35	4102000000-N	904	SIGN ERECTION, TYPE E	9	EA		
36	4116100000-N	904	SIGN RELOCATION, TYPE B	7	EA		
37	4155000000-N	907	DISPOSAL OF SIGN SYSTEM, U-CHANNEL	4	EA		
38	4400000000-E	1110	STATIONARY WORK ZONE SIGNS	316	SF		
39	4405000000-E	1110	PORTABLE WORK ZONE SIGNS	460	SF		
40	4410000000-E	1110	BARRICADE-MOUNTED WORK ZONE SIGNS	122	SF		
41	4420000000-N	1120	PORTABLE CHANGEABLE MESSAGE SIGNS	2	EA		
42	4430000000-N	1130	DRUMS	132	EA		
43	4435000000-N	1135	CONES	76	EA		
44	4445000000-E	1145	BARRICADES (TYPE III)	192	LF		
45	4455000000-N	1150	FLAGGER	60	DAY		
46	4510000000-N	1190	LAW ENFORCEMENT	80	HR		
47	4810000000-E	1205	PAINT PAVEMENT MARKING LINE (4")	42,000	LF		
48	4820000000-E	1205	PAINT PAVEMENT MARKING LINE (8")	4,410	LF		
49	4830000000-E	1205	PAINT PAVEMENT MARKING LINE (16")	88	LF		
50	4835000000-E	1205	PAINT PAVEMENT MARKING LINE (24")	3,980	LF		
51	4840000000-N	1205	PAINT PAVEMENT MARKING CHARACTERS	72	EA		
52	4845000000-N	1205	PAINT PAVEMENT MARKING SYMBOLS	400	EA		
53	4850000000-E	1205	REMOVAL OF PAINT PAVEMENT MARKING LINE (4")	15,746	LF		
54	4860000000-E	1205	REMOVAL OF PAINT PAVEMENT MARKING LINE (8")	2,190	LF		
55	4870000000-E	1205	REMOVAL OF PAINT PAVEMENT MARKING LINE (24")	2,065	LF		
56	4875000000-N	1205	REMOVAL OF PAINT PAVEMENT MARKING SYMBOLS AND CHARACTERS	79	EA		
57	4685000000-E	1205	THERMOPLASTIC PAVEMENT MARKING LINE (4", 90 MILS)	150	LF		
58	4686000000-E	1205	THERMOPLASTIC PAVEMENT MARKING LINE (4", 120 MILS)	20,790	LF		

ITEM	NCDOT PAY ITEM	NCDOT STD / TECH SPECS	DESCRIPTION	EST QTY	UNIT	UNIT PRICE	AMOUNT
59	4695000000-E	1205	THERMOPLASTIC PAVEMENT MARKING LINE (8", 90 MILS)	150	LF		
60	4697000000-E	1205	THERMOPLASTIC PAVEMENT MARKING LINE (8", 120 MILS)	1,930	LF		
61	4710000000-E	1205	THERMOPLASTIC PAVEMENT MARKING LINE (24", 120 MILS)	1,950	LF		
62	4721000000-E	1205	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)	16	EA		
63	4725000000-E	1205	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)	99	EA		
64	4726110000-E	1205	HEATED IN-PLACE THERMOPLASTIC PAVEMENT SYMBOL (90 MILS)	38	EA		
65	4850000000-E	1205	REMOVAL OF PAVEMENT MARKING (4")	283	LF		
66	4875000000-N	1205	REMOVAL OF PAVEMENT MARKING (24")	30	LF		
67	4721000000-E	1205	REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS	6	EA		
68	4905000000-N	1253	SNOW PLOWABLE RAISED PAVEMENT MARKERS	154	EA		
69	---	TS- 02571	PAVERS FOR CURB EXTENSION AREAS (80 MM)	28,500	SF		
70	---	TS- 02840	GRANITE TACTILE DOME PAVER, ONLY	44	EA		
71	---	TS- 02840	INSTALL PARK BENCH (OWNER-PROVIDED)	14	EA		
72	---	TS- 02840	SEAT WALLS	140	LF		
73	---	TS- 02840	RELOCATE EARL SCRUGGS COUNTY MUSEUM SIGN	2	EA		
74	---	TS- 02940	PLANTING - BLUESTAR PERENNIAL	23	EA		
75	---	TS- 02940	PLANTING - LOW DOWN SWAMP SUNFLOWERS	35	EA		
76	---	TS- 02940	PLANTING - OAK LEAF HYDRANGEA	56	EA		
77	---	TS- 02940	PLANTING - LANTANA	185	EA		
78	---	TS- 02940	PLANTING - CHERRY LAUREL	23	EA		
79	---	TS- 02940	PLANTING - WHITE CREEPING PHLOX	1,559	EA		
80	---	TS- 02940	PLANTING - WHITE SPIREA	53	EA		

ITEM	NCDOT PAY ITEM	NCDOT STD / TECH SPECS	DESCRIPTION	EST QTY	UNIT	UNIT PRICE	AMOUNT
81	---	TS- 02940	DOUBLE-HAMMERED MULCH	60	CY		
82	7048500000-E	1705	PEDESTRIAN SIGNAL HEAD (16", 1 SECTION WITH COUNTDOWN)	32	EA		
83	7060000000-E	1705	SIGNAL CABLE	6,900	LF		
84	7120000000-E	1705	VEHICLE SIGNAL HEAD (12", 3 SECTION)	53	EA		
85	7132000000-E	1705	VEHICLE SIGNAL HEAD (12", 4 SECTION)	3	EA		
86	7144000000-E	1705	VEHICLE SIGNAL HEAD (12", 5 SECTION)	1	EA		
87	7288000000-E	1715	PAVED TRENCHING (1 CONDUIT, 2 INCH)	1,080	LF		
88	7288000000-E	1715	PAVED TRENCHING (3 CONDUITS, 2 INCH)	20	LF		
89	7288000000-E	1715	PAVED TRENCHING (4 CONDUITS, 2 INCH)	170	LF		
90	7300000000-E	1715	UNPAVED TRENCHING (1 CONDUIT, 2 INCH)	110	LF		
91	7300000000-E	1715	UNPAVED TRENCHING (4 CONDUITS, 2 INCH)	30	LF		
92	7301000000-E	1715	DIRECTIONAL DRILL (1 CONDUIT, 2 INCH)	690	LF		
93	7301000000-E	1715	DIRECTIONAL DRILL (2 CONDUITS, 2 INCH)	640	LF		
94	7301000000-E	1715	DIRECTIONAL DRILL (4 CONDUITS, 2 INCH)	440	LF		
95	7324000000-N	1716	JUNCTION BOX (STANDARD SIZE)	79	EA		
96	7420000000-E	1722	2" RISER WITH WEATHERHEAD	11	EA		
97	7444000000-E	1725	INDUCTIVE LOOP SAWCUT	4,080	LF		
98	7456000000-E	1726	LEAD-IN CABLE (14-2)	6,920	LF		
99	7575142000-N	1736	900MHZ SERIAL SPREAD SPECTRUM RADIO	6	EA		
100	7575142060-N	SP	MODIFY RADIO INSTALLATION	6	EA		
101	7574500000-N	SP	FURNISH WIRELESS MODEM	1	EA		
102	7574550000-N	SP	FURNISH WIRELESS LIGHTNING ARRESTOR	1	EA		
103	7576000000-N	SP	INSTALL METAL STRAIN SIGNAL POLE	2	EA		

ITEM	NCDOT PAY ITEM	NCDOT STD / TECH SPECS	DESCRIPTION	EST QTY	UNIT	UNIT PRICE	AMOUNT
104	7588000000-N	SP	INSTALL METAL POLE WITH SINGLE MAST ARM	16	EA		
105	7613000000-N	SP	SOIL TEST	18	EA		
106	7614100000-E	SP	DRILLED PIER FOUNDATION	108	CY		
107	7631000000-N	SP	INSTALL MAST ARM WITH METAL POLE DESIGN	16	EA		
108	7642200000-N	1743	INSTALL TYPE II PEDESTAL WITH FOUNDATION	32	EA		
109	7684000000-N	1750	SIGNAL CABINET FOUNDATION	5	EA		
110	7744000000-N	1751	DETECTOR CARD (TYPE 170)	36	EA		
111	7696000000-N	1751	CONTROLLER WITH CABINET (TYPE 2070E, BASE MOUNTED)	5	EA		
112	7768000000-N	1751	CONTROLLER WITH CABINET (TYPE 2070L, POLE MOUNTED)	1	EA		
113	7901000000-N	1753	CABINET BASE EXTENDER	5	EA		
114	---	SP	METAL POLE DECORATIVE BASE COVER	16	EA		
115	---	SP	METAL POLE LUMINAIRE	16	EA		
116	7960000000-N	SP	METAL POLE FOUNDATION REMOVAL	16	EA		
117	7972000000-N	SP	METAL POLE REMOVAL	18	EA		
118	7980000000-N	SP	PROTECTIVE COATING FOR SINGLE MAST ARM WITH METAL POLE (BLACK)	16	EA		
119	7980000000-N	SP	PROTECTIVE COATING FOR STRAIN POLE (BLACK)	2	EA		
120	7980000000-N	SP	PROTECTIVE COATING FOR SIGNAL PEDESTAL (BLACK)	32	EA		
121	7980000000-N	SP	PROTECTIVE COATING FOR METAL POLE BASE COVER (BLACK)	16	EA		
122	7980000000-N	SP	PROTECTIVE COATING FOR SIGNAL CABINET (BLACK)	5	EA		
123	7980000000-N	SP	PROTECTIVE COATING FOR CABINET BASE EXTENDER (BLACK)	5	EA		
124	7980000000-N	SP	OPTICAL DETECTOR UNIT	4	EA		
125	7980000000-N	SP	EVP PHASE SELECTOR	2	EA		

* The Contractor shall note that all quantities are used only for figuring the lowest responsible bidder. The quantities may vary based on the amount of work needed during the year as directed by the ENGINEER.

TOTAL AMOUNT BID FOR THE PROJECT (IN FIGURES): \$ _____
(IN WORDS) _____

Unit Prices have been computed in accordance with paragraph 11.03.B of the General Conditions.

Bidder acknowledges that estimated quantities are not guaranteed, and are solely for the purpose of comparison of Bids, and final payment for all Unit Price Bid items will be based on actual quantities provided, determined as provided in the Contract Documents.

5.02 Bidder agrees that the Work will be completed and ready for final payment in accordance with paragraph 14.07.B of the General Conditions and the Agreement.

5.03 Bidder accepts the provisions of the Agreement as to liquidated damages in the event of failure to complete the Work within the Contract Times and Intermediate Contract Times, as stated in the Agreement and in NCDOT Standard Provisions SP01 G010A and SP01 G014.

6.01 The following document is attached to and made a condition of this Bid:

A. Required Bid Security in the form of a deposit of cash, or a cashier's check or a certified check on some bank or trust company insured by the Federal Deposit Insurance Corporation, or a Bid Bond in the amount of _____ Dollars (\$ _____), payable to OWNER, which it is agreed, shall be retained as liquidated damages by OWNER if the undersigned fails to execute the Agreement in conformity with the Form of Agreement incorporated in the Contract Documents and furnish Bonds specified within 10 days after Notice of Award is given by OWNER.

7.01 The terms used in this Bid with initial capital letters have the meanings indicated in the Instructions to Bidders, and the General Conditions.

SUBMITTED ON _____ , _____ .


State CONTRACTOR License No.: _____ .

Complete EXECUTION OF BID as follows.

APRIL 24, 2019

ADDENDUM NO. 1

Uptown Shelby Streetscape SHELBY, NORTH CAROLINA



NOTE:

1. CHAIR WELDED WIRE FENCE 2.5 INCHES FROM TOP OF SLAB.
2. ASPHALT PAVEMENT BASE COURSE "D2" SHALL BE 5-INCHES THICK AND BE PAID AT THE UNIT PRICES PER TON FOR THE TYPES OF ASPHALT CONCRETE SURFACE, INTERMEDIATE, AND BASE PAVEMENT TYPE(S) INCLUDED IN THE BID.

COURT SQUARE CROSSWALK DETAIL

**SEE LANDSCAPE PLANS FOR PROPOSED PATTERNS